


DKT 509-L

FIG. 1B DOCKET 509-L






FIG. 1C DOCKET 509-L

(E)

THE APPLIATIONS TO BE USED AND THE DISK SPACE INSTALLATION REQUIREMENTS NEEDED IN MEGABYTES, MEMORY REQUIREMENTS IN MB AND CERTAIN SPECIFIC APPLICATION PARAMETERS

DETERMINE, FOR EACH SITE/SERVER FARM PAIR,
USER-TO-APPLICATION RELATIONSHIPS
BY DISTRIBUTING THE CONCURRENT NO. OF USERS
PER FARM AMONG THE USER-TYPE APPLICATIONS
WHICH DEFINED THE FARM


(G)


(F)

GENERATING A CONFIGURATION SOLUTION WHICH REPORTS AND DISPLAYS: ADJUSTED NO. OF CONCURRENT USERS BASED ON

ADJUSTED NO. OF CONCURRENT USERS BASED ON USER TYPES/APPLICATION TYPES AND HOW THEY ARE WEIGHTED, NO. OF SERVERS REQUIRED, AMOUNT OF MEMORY REUIRED, AMOUNT OF DISK SPACE REQUIRED, ESTIMATED NETWORK UTILIZATION, PLUS INFORMATION ON AVAILABILITY FACTORS, OPTION SOFTWARE AND LICENSING RECOMMENDATIONS.

SERVER METAFARM 8





lication Delivery Solution Configurator	X D
<u>File View Help</u>	
Dem Close Salve	
Print Setup Print Preview	
1 C.\Program Files\TESizing\patenteorifig11-9 tsc 2 C:\ThinClient\Patent\Cust3k.tsc 3 C.\Program Files\Microsoft\Visual Studio\VB98\config140 tsc 4 C.\Kathu PC\Temp\Errconfig tso 5 C\ThinClient\Patent\Simple\Simple\Simple\Simple\tag{2}	

<u> </u>	evelop a si sistema ver Fam vord sonnel sonnel	* 1 B2/9/4
Selection Application Delivery Solution Configurator Ele Edit View Window Help Color	The Configurator guides you through an interview in which you gather the information of solutions that match a customer's performance requirements but provide different a hiomation is collected on a Bustomer's Sites. Server Farms Liser Types, and Applica diagram depicts the relationship between these components.	These click on the Interview tab to begin collecting intrimation on the Contourer's scing requirements.

🔤 e-@ction Application Delivery Solution Configurator	X
de开 wopu 网 waik lipis elist	
(Ville sign) — In the Lapson of the Company of the	× 1
Introduction Interview Edistomes Data String Without	
iview Categories	
You will be led through a series of steps that will allow you to define a Customer's sizing requirements.	
ypes ition Types Application Relationships	
View Neks Neks	
The size clieck West without som size meanly to considere.	
	42AM

FIGURE 6

		2 IX Licerses Optional Soltware	Distoner Dala	ed, such as Los Angeles or		No of Users	500	1000			Tight Tight	intermedian on the
) elivery Solution Configurator দুৰ্ভাত		The Thirth of the State of the	Interview	n where the Windows Terminal Server(s) will be located, such as I	omation for each of the Customer's Sites:	Location	5550 Main Street	123 South Bookstone Street				Heat when you have imidied entering the information on the
🚅 e-@ction Application Delive निर्हे चिर्धः View 'Window Help	10岁日 多	Forming 1	Introduction Sites	W 1000 - 1000 C - 1000	Please fill in the following informati	Site Name	Chicago	িই Los Angeles	and the same of th	1 8	New Y	

Licenses	iffed mation on its aim, are the sailable	NS.		mic for
	A Server Farm consists of one or more windows Terminal Servers configured together for unitied administration, security, and communication services. A Server Farm definition contains information on its role and the optional features/capabilities that it may require. Also defined for each Server Farm, are the types of users and the applications they will be running. Recommendations on subdividion a lane mount it users into manage desired Server Farms are available.	after clicking on a Site below Click on a Site to define its Server Farms. Click on a Site to define its Server Farms. Los Angeles	Help	Please chot West when you have imished entering the Server Farms to each of the Customer's Sites.
Disk Capacity Acadalalitus Interview	al Servers corligu A Server Farm deline quire. Also deliner	Chicago Los Angeles	<u> </u>	inated entering
Dish Cap Avantabilita Interview	e Windows Terminosions services of littles that it may receive will be running and more more than the services of the littles	u ve Harms	K Back	her you have ! a's Sites.
Hetwork Utilization Ease Solution Introduction Server Farms	A Server Farm consists of one or mon administration, security, and communicie and the optional features (capabilitypes of users and the applications the Recommendations on subdividing a line	after clicking on a Site below.	Niew	Please chick News when you i each of the Castomer's Sites

×III	3 Salvanas S	ent gran	CAPS (117/8/2000) 11:52 AM
	For Site Los Angeles For Site	Print	EAFS 11/6/
liguraldic	for Site Los Angeles bdivide large Sites of Farms into smaller, manageable sized Farms. These reconditionate process to further define a Customer's configuration sizing requirements in the process to further define a Customer's configuration sizing requirements in the process to further define a Customer Heavy (worst case). Faconimendations	Cancel	
on Deliver, Salavan Configurator ow. <u>Help</u> 	for Site Los Angeles bdivide laige. Siles of Faims into so Interview process to further define sets 1000 Goal 99.99 1.] Recommendations Recommendations 1000 1052 Ins/vi) 99.99 1.00 1000 He Interview Process with the selective or column initially selected represent	DK	
当 Soliton Application Delive File Edit Yiew Window Help [] [2] [2] [3] [4] [4] [4]	This page will be blacked large Sies of Farms into smaller, manageable sized Farms. These recommished be used in the Interview process to further define a Customer's configuration sizing requirements. I find the asset in the Interview process to further define a Customer's configuration sizing requirements. I found Parameters Availability doals 199.99 P. C. Super Heavy, (worst case) Availability doals 199.99 P. C. Light (hest case) Berver Preference ES7000.4x (700 MHz, WZK) C. Light (hest case) Number of Farms I serve Preference ES7000.4x (700 MHz, WZK) C. Light (hest case) Estimated Availability 99.99 D. C. Light (hest case) Estimated Availability 99.99 D. C. Light (hest case) Estimated Availability 99.99 D. C. Light (hest case) Estimated Downline (his/pr) 0.72 Estimated Downline (his/pr) 0.72 Estimated Availability 99.99 D. C. C. Super Heavy, (worst case) Estimated Downline (his/pr) 0.72 Estimated Bownline (his/pr) 0.72 Estima	- Be-Calculate	Ready

X D X		AM N
X		
	Delete Servet Farm	Help 176/2000
in the second se	Dec.	
Features/Capabilities	Rename Server Farm.	
Features	Rename Server Far	· · · · · · · · · · · · · · · · · · ·
		Cancel
	Meta-SubFam00	
dow Help dow Help 	ne. Meter	1000 0.K
low Help 	Server Farm Name. the Server Farm.	iber of Users: users actively fancously on the
dow Heb Los Angele Description Server Farm	Server F Pre-Server F	nberof-Users: users actively ltaneously.on
	요. <u>하</u> 요	ent Num imber of ring simu Farm]
Server Farms for the Description of the	Enteror Select Sel	Corrourent Num (i.e number of processing simul Server Famil
Elle Edit V Elle Edit V Elle Edit V		Com proc Serv

100 11:48 AM	CAPS 11/6/2000 11:48 AM					Ready
		Harris Control of the				
	Hah	Apply	Cancel	OK		
					users actively taneously on the	(i.e humber of user processing simultane Server Farm)
				800	ber of Users:	Concurrent Number of Users
			erver	Application Server	he Server Farm:	Piimaiy Bole of I
				MED		ılı-
		ACTION CONTRACTOR AND ACTION CONTRACTOR AND ACTION CONTRACTOR ACTI		MS Office	ierver Farm Name:	Enter or Select §
					Server Farm	inption of the
	abilities	Features/Capabilities)escription	
8 8					Los Angeles	므 Server Farms for L
						岁日 多风
						Edit View <u>Wi</u> ndo
			mator -	Saldion Conhourato	n Drains and	🗖 e-Oction Applicatio

Be-Obtline Application Belivery Solution Configurator: 1、 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
File Edit View Window Help
E Server Farms for Los Angeles
Description Features/Capabilities
Feature/Capability Options for the Server Farm
Please check all features/capabilities that are needed.
Client Enhancements - TAPI Support
Client Environment Support - DOS
Client Environment Support - Java
Client Environment Support - Microsoft Internet Explorer
☑ Client Environment Support - Netscape Navigator
☐ Client Environment Support - Network Computers (NCs) with ICA capabilities
L Client Environment Support - UNIX
Client Environment Support - Windows 3.11
Lulerit Erivironinent Support • windows 1 eminai Devices (models that run ILA only)
DK Cancel Apply Help
Ready

	× F				
	Licenses Optional Software Dustomer Data	gnificant		yang sa	
	Uplior Custor	ns have a si cution of por	am:	Help	
		After I types A User Type embodies the usage patterns of a group of users. User usage patterns have a significant impact on performance. Some of the areas considered are typing speed and execution of concurrent applications.	pes. Select a Setvec Faim: MS Office Payroll	View	
	Disk Espacity Avalishilita nterview	isers, Useri etyping spe	Iser Types: Select e MS Off Payroll	Mexico	
mdow Help 弘 法 睦 國	Disk Espac Xvalshilin Interview	a group of u onsidered a	en click oh a Server Falm to define its User. Types: a Site: Sele NS	ack.	
		patterns of the areas o	o cer Falm	Section Sections of the section of t	
mdow Help	k Ullizatob Shyligh tigh	ss the usage e. Some of	(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	View	
ew Winds	Fe Config 1 Network [Ulli Bae Selvito	pe embodie performand	Site, then clici Select a Site. Chicago Los Angeles		
Eile Edit Yosw W	Fe Config 1 Network Base S	ser I vpes A UserType Impacton pe applications	Click on a Site. the Select of Chicar		

🗀 e @etion Application Deliveru So	olution Enningmenton	
file, Edit <u>Vi</u> ew <u>W</u> indow		
MS Office Server Farm for Los Angeles	Ångeles	E
Assign Liser Types	4	n Define User Types
User Type Assignment		
		MS Office User Types: Developers
Octobring Daily Plants Point of Sale Clerk		
Secretaries Technical Writers	- < ppy	
Telemarketing Reps Tester		
- esters		
	. KK Remover	
	OK.	Help.
Ready		ANNIA CAPS 11/13/2000 11/55 AM

Inter or Select User Type Name: Mans	e following categories that best describes	your User Type:
Typing Speed Not Significant Average Speed 35 - 40 wpm Average Speed 45 - 50 wpm Greater Than 50 wpm	Lagan C Lagans mostly done at one time C Lagans evenly distributed through	
Running Applications Generally runs only one line-of-bus In and out of applications quickly More extensive activity - generally	siness (LOE) application	Printing C None C Light Moderete C Heavy
And the second s		C Summarray and services of an announce many of month

Unisys Thin Client Sizer		and the second second second	20.54数据200	/% □ ×
<u>File Edit View Window H</u>	elp			
CRB BC TEE				X 7
是CONFIG1.tcs			4 74 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	
Network Utilization	Disk Capac	aty	Licenses	
Server Solution	Server Availabi	lity Op	otional Software	
Introduction	Interview	Cus	stomer Data	
Application Types		•		
application. Supplying inform sufficiently handle client demi	s the CPU, memory, and disk resoun nation on the applications that will be and. a Server Farm to define its Applicati	e running helps to size the !	en running an Server Farm to	
Select a Site		elect a Server Form		
Chicago Los Angeles		S Office eyroll		
View	< Back Next >	Help		
Please click N each of the Situ	ext when you have finished en e's Server Farms.	tering the Application i	Types for	
Ready			C-FL 5/25/99	9:15 AM

FIG. 15

File Edit View Window Help
20
🖒 MS Office Server Farm for Los Angeles
Assign Application Types
Application Assignment Available Applications: Attachmate Terminal Emulators MS. Office Applications: Attachmate Terminal Emulators
LDAIII Microsoft Internet Explorer 4.0 Microsoft Office 2000 (all applications MS Access 2000 MS Excel 2000 MS Excel 2000 MS PowerPoint 2000 MS Publisher 2000 MS Word 2000 MS Sexcel 37 MS Excel 37 MS Dutlook 97/98 MS Dutlook 97/98 MS PowerPoint 97 MS PowerPoint 97 MS PowerPoint 97
OK Carcel Help
Beadu CAPS 171322000 12:00 PM

×	X 2-			pased based	[Help
	Define ApplicationTypes		ation. Details >>	Application's usage: Application Output O. Graphic-based O. Graphic-based O. Amimated graphic-based	Apply Heb
Tuurstur	De	MB MB	processor MS-DDS-Application	on from each of the following categories that best reflects the Application's usage Application Processing C. Light background processing C. Heavy background processing C. Heavy background processing C. Animated gra	Cancel
ion-Prefixay Solution Continuration low: Help 	Farm for Los Angeles Application Lypes	MS Ac m; 40	ication C 18-bit Application	rom each of the following categories to Application Processing——Application Processing———————————————————————————————————	OK.
二 o-Cootron Agglication Dr Ble Edit Yiew Window E 	(*) MS Office Server Fa AssignAp		© 32-bit Applicat	Pigase select an option in Application Input © GUI-based C Mostly text-based	Ready

X O	N.		42					had.	CAPS 147/3/2000 12:03 EM
		Dational Software. Customer Data	Helationships intentusers running an application and the total amount of disk space required for the n must also be collected.		arver Farm.		Help	(S) Theorie click Next when you have timehelf delining the relationships for each of the Site's Server Fams.	A STATE OF THE
Configurator	g11-9.tsc	Availabilium Interview	plication and the total amou	define this information.	Select a Server Farm:		sk <u>[KNext></u>	have imided delining t	
Nion Delivery Solution Configurator Idow Help	sVTCSizing\patentconfig11-9.tsc			Click on a Site, then click on a Server Farm to define, this information.	Site:		View × Back	e Click Next when you! Ie s Server Fams:	
🚅 e-@ction Applicati Elle - Edit View Wind	Fe C:\Program Files\	Base South	Users of an application	Dick on a Site, ther	Select a Site: Chicago Los Angeles			I 🕃 mesme	Ready

	X					
		Disk Space	Server Farm among the following ring any given time period:	Subport Personnel 300	300	Apply
	or Fell State arm for Los Angeles	sia.	750 concurrent users assigned to the MS Office Server Farm among the following resentation of the active processing occurring during any given time period:	Developers		. Ok Cancel
File Edit View Window Help	TWS Office Server Farm for L	Concurrent User Assignment —	Please distribute the 750 conc applications as a representatio		Microsoft Internet Explorer 75	

	Thing each			Help	CAPS MAY Stones 15.05 mil
Disk Space	De, please enter the total amount of disk space required in MB for all users running each cations. Developers Support Personnel 500	200		Apply	KIN (ASS)
w Help ** Help arm for Los Angeles urrent-Users nt	e total amount of disk space Developers			Cancel	
Windo	if User Type, please enter if wing applications.	nemet Explorer 125		OK	
Elle Edit 义iew Windo.	Under each User Ty of the following appli	<u> </u>			Beadu

× T			ų			App 11/13/24ml
eter (messen)	Option (Distant	Congratulations! You have just completed the Interview process. If you need to change or add information under an Interview Category, you may	unit directly fort by directing on the category name in the box to the left. Once you have clicked Finish, the remaining tabs will then be populated with the information collected during the	tries from process alterior as been compiled with the current performance benchmarking testalis.	Help	
nfig11-9.tsc	t. Alekini. Interview		nships		< <u>Back</u> Finish	ing are ready to
ww/indow Help 雪面【法[基[] m FilesVI CSizing\patentconfig11-9.tsc		W Categories ites erver Farms	☑∰ User Types ☑속 Application Types ☑ ் User to Application Relationships		Vew	F Hease chak finish when good see ready to brashnum
File Edit View Windo.	Base Solui Introduction Sizing Wizard	Interview Catego				Feature Header

	1000	X D
Sizing Application Server Farm: 750 Sers Configured on Server Farm: 750 Developers 1. W. Access 97	Edit View Window Help	
Developers	편	
Zation Disk Lapacity Availability Availability		
Sites with the following requirements: ***********************************	Diskidapacity	
Siles with the following requirements: ***********************************	Availability	
tone Street al Users: 1000 escribes the 2 Server Farm(s) located at Los the Application Server Users Configured on Server Farm: 750 lication Relationships: Developers on: MS Access 97	Sites with the following requirements:	
tone Street al Users: 1000 escribes the 2 Server Farm(s) located at Los e: Application Server Users Configured on Server Farm: 750 lication Relationships: : Developers on: MS Access 97	*****************	
al Users: 1000 escribes the 2 Server Farm(s) located at Los e: Application Server Users Configured on Server Farm: 750 lication Relationships: Developers on: MS Access 97		
escribes the 2 Server Farm(s) located at Los e: Application Server Users Configured on Server Farm: 750 lication Relationships: : Developers on: MS Access 97	Total Users:	
e: Application Server Users Configured on Server Farm: 750 lication Relationships: Developers on: MS Access 97	lowing describes the 2 Server Farm(s) located at	
e: Application Server Users Configured on Server Farm: 750 lication Relationships: Developers on: MS Access 97	S: Office	
Users Configured on Server Farm: 750 lication Relationships: . Developers on: MS Access 97	ole: Application	
lication Relationships: Developers on: MS Access 97	Users Configured on Server Farm:	
Developers on: MS Access 97	to Application	
on: MS Access 97	ser Type: Devel	7 5 7 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	on: MS Access	
	on: MS Access 97	

🚆 e-@ction Application Delivery Solution Configurator	
Edit <u>View Window Helb</u>	
्नि C:\Program Files\TCSizing\patentconfig11-9.tsc	X Z
Availability	
Interview	
The following is the MINIMUM server configuration recommendations:	

FRRM <1> MS Office	
[Based on 0 Light, 375 Medium, and 375 Heavy Users]	
8 -> ES2043 Pentium III Xeon 500 MHz using Windows NT 4.0	
TSE with 4 Processors and 2 GB RAM	
UR 8 -> RG2043 Dentium III Veen EEO MHs meins Windows MT 4 0	
TSE with 4 Processors and 2 GB RAM	
44 Pentium III Xeon 550 MHz v	
TSE with 4 Processors and 2 GB RAM	
8 -> ES2045 Pentium III Xeon 500 MHz using Windows NT 4.0	
rs and	
UR 8 -> RS2045 Pentium III Xeon 550 MHz using Windows NT 4.0	字 7.6 字 4.5 图 8.
and 2 GB RAM	
It is HIGHLY recommended that availability options be considered when providing a solution. Please click the Availability tab to evaluate these options.	
Ready 12.11.PM 12.11.PM	1211 PM
	8

CAProgram Flex/ICSizing/patentoonlig11-31 to Availability Av				CONTROL OF THE PROPERTY OF THE		Glory of the participant of the
Cation Spatient Config 1 - 9 is a Carting Spatial Config 1 - 9 is a Carting Spatial Carting Management Carting	一					
Availability Customer Date	트 C:\Program Files\TCSizing\patentconfig11	-9.tsc				E STATE OF
	ation 1	Disk Can	njide		Licen	Ses
		Availabilit	.		Optional Sol	flware
		Interview			Gustomer D ≥	ld
Serval MS Office Fauth Processor and Windows NT 4,0 TSE	Availability Calculator					
Hall Pentium III Xeon with 4 Processors and Wrindows NT 4.0 TSE Limber of Users 626	s Angeles	Servi	Co. 26 . 400 . 2. C	m		
Scentation 1 2 3 4 uns) 626	2044 (550 MHz] Pentium III Xeon with 4	Processors	and Window	38 ΝΤ 4. Ω Τ	3E	P
Scenario 1 2 3 4 2 3 4 2 6 7 7 7 7 8<						
Jsers 626 </td <td>Scenario</td> <td></td> <td>2</td> <td>m</td> <td>4</td> <td></td>	Scenario		2	m	4	
Servers 25 20 15 10 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	Adjusted Concurrent Number of Users	626	626	626	828	Estimate
Servers 25 20 15 10 1	System Repair Time (hours)	9	9	9	9	
Servers 2 73.069 761 792 704 704 1018) 73.069 3.616 3.616 150 150 14.53 350.4	Redundancy Factor (%)	25	20	15	101	. Plint
Servers 2 1 792 704 Servers 2 1 1 1 0 0 39.9918 99.8341 99.8341 98.8341 0.72 14.53 14.53 350.4	Estimated Number of Servers	2	6	o	8	4.4
Servers 2 1 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Estimated Peak Number of Users	088	792	792	104	
93.9918 99.8341 99.8341 596 350.4 0.72 14.53 14.53 350.4	Estimated Number of Redundant Servers	2			0	
99.9918 99.8341 89.8341 96 96 0.72 14.53 350.4	Estimated Server Farm MTTF (hours)	73,069	9196	3,616	150	
14.53 14.53 14.53 15.14.53 15.15.14.53 15.15.14 15.15 15.15 15.15 15.15 15.15 15.15	Estimated Availability [%]	99.9918	99.8341	99.8341	96	Reset
	Estimated Downtime (hours/year)	0.72	14.53	14.53		Calculator

三:5:全位ton Application Delivery Solution Configurator 到8 Edit View、Window) Help	
at Carlo Car	
l software:	
Balancing.	
functionality.	er j

No extra features/capabilites were selected	
,	

<1> MS Office	
No extra features/capabilites were selected	
<2> Payroll	
Ready (15.55)	
	E.

C. Cetion Application Delivery Solution Configurator C. New Window Help C. Network Utilization Disk Call Base Solution Disk Call Base Solut
--

X	X	ata					
nfigurakor	abasily	Interview disk capacity requirements: Los Angeles SITE ************************************		Users: 625 MB	o.c. Users: 625 MB	Total: 1.36 GB	
是 e-@ction Application Delivery Solution Configurator Elle Edit Yew Window Help []	g\patentconf	summary of the c	<1> MS Office MS Access 97:	ation: 40 MB		MS Office Disk Capacity Grand Total:	MS Publisher 2000:

	1.2.16 FIW
	1 000g
Customer, Data	CAPS (11/M3/2000
Licenses Uptional Software Eustomer Data	
Euský Euský	
1-9.tsc Disk Capacity Availability Interview requirements	
on Configurator onfig11-9.tsc Disk Capacil Availability Interview ensing requiremen	
tion Delivery Solution Configurator dow 出的	
Solution of the life of the li	
Help String Apat thon than eight the many eight th	
tion Delive dow Help MICSizing Milization on on	
Publica Nase So reduciti	
Edit View Window Edit View Window C:\Program Files\V Sec Soluti Pase Soluti Phiroduction Phiroduction	
The Following is a summy The following is a summy To be Developed.	Ready